OIPE
NOV 13 2007
PATENT & TRADEMARK OFFICE



Fig. 1


200
Sending Side
Receiving Side
201
Sending Connection Initiation Data To A Receiving Computer System, The Connection Initiation Data Including A Purported Sending Address
205
Receiving Connection Initiation Data From A Sending Computer System, The Connection Initiation Data Including The Purported Sending Address
206
Altering Standard Connection Establishment Data To Include Adress Validation Data
207
Sending The Altered Connection Establishment Data To The Purported Sending Address
202
Receiving Altered Connection Establishment Data That Include Address Validation Data
203
Generating An Appropriate Connection Response Based On The Address Validation Data
204
Sending The Appropriate Connection Response To The Receiving Computer System
208
Determining If A Computer System Corresponding To The Purported Sending Address Appropriately Respond To The Address Validation Data

Fig. 2

Fig. 3


Other Name Servers 385
386
Name Server 308
Entry 376
Authorized Servers Record 336
375
Authorized Servers Query 379
377
Authorized Servers List 378
Domain 307
Messaging Client 341
Messaging Client 343
Message Classification Module 353
396
397
Messaging Server 317
Message Classification Module 328
393
394
Network 301
371
Spoofed Domain Name 372
391
392
Domain 305
Messaging Server 315
Domain 306
Messaging Server 316
300


400
Receiving An Electronic Message Purportedly Sent From A Sending Side Domain
401
Examining A Plurality Of Parameter Values Of The Electronic Message To Attempt To Identify An Actual Sending Side Network Address Corresponding To A Sending Computer System
402
Querying A Name Server For A List Of Network Addresses Authorized To Send Electronic Messages For The Sending Side Domain
403
Determining If The Actual Sending Side Network Address Is Authorized To Send Electronic Messages For The Sending Side Domain
404
Providing Results Of The Determination To A Message Classification Module
405

Fig. 4

Fig. 5


Other Name Servers 585
586
585
ETP Query 586
Domain 507
Messaging Client 527
Messaging Client 542
Answer Verification Module 552
Messaging Client 543
Message Classification Module 553
596
597
598
Messaging Server 517
Answer Verification Module 527
Message Classification Module 529
Name Server 508
Entry 576
Certificates Record 556
Entry 577
Answer Verification Support Record 537
513
ETP Certificates 514
593
Network 501
594
592
575
ETP Certificates 576
545
Message Data 546
Answer Document 547
Domain 506
Messaging Server 516
Puzzle Computation Module 528


600
Receiving An Electronic Message From A Sending Domain
601
605
A Step For Identifying Relevant Electronic Message Transmission Polices Adhered To By The Sending Domain
Receiving One Or More Electronic Message Transmission Policies Corresponding To The Sending Domain
602
Parsing Relevant Electronic Message Transmission Policies From The One Or More Received Electronic Message Transmission Policies
603
Providing The Relevant Electronic Message Transmission Policies To A Message Classification Module
604

Fig. 6


700
Sending Side
Receiving Side
701
Receiving Electronic Message Data That Is To Be Contained In An Electronic Message
702
Generating An Initial Document From Different Portions Of State Information
703
Generating A Puzzle Input From One Or More Components Of The Electronic Message
704
Identifying An Answer Document Such That An Answer Hash Value, Calculated From A Combination Of The Answer Document And The Puzzle Input, Is An Answer Value For A Computational Puzzle, The Answer Hash Value Calculated Using A Puzzle Hash Algorithm
705
Sending An Electronic Message That Includes The Identified Answer Document And The Electronic Message Data To The Receiving Side Domain
706
Receiving An Electronic Message That Includes Electronic Message Data And An Answer Document
707
Reproducing The Initial Document From The Different Portions Of State Information
708
Recalculating The Puzzle Input From One Or More Components of The Electronic Message
709
Determining If A Verifying Hash Value, Calculated From A Combination Of The Answer Document And The Puzzle Input Is An Answer Value Indicative Of A Solution To The Computational Puzzle, The Verifying Hash Value Calculated Using The Puzzle Hashing Algorithm
710
Providing Results Of The Determination To An Electronic Message Classification Module

Fig. 7


Monitor 847
Speakers 869
Remote Computer System 883
Remote Computer System 893
851
852
840
854
Modem
853
Network Interface
Audio Interface 849
Video Interface 848
846
Input/output Interface
859
842
823
834
Optical Drive Interface
858
830
833
Magnetic Disk Drive Interface
829
828
832
Hard Disk Drive Interface
827
839
820
System Bus
Processing Unit 821
822
System Memory
(ROM) 824
Bios 826
(RAM) 825
Operating System 835
Application Programs 836
Other Program Modules 837
Program Data 838
Program Data 838
Other Program Modules 837
Application Programs 836
Operating System 835

Fig. 8